



Ambient Air Quality Monitoring Report for Saldanha Bay and Vredenburg Sites

June 2026

Prepared for

Saldanha Bay Municipality

EXECUTIVE SUMMARY

This report covers data from the Saldanha Bay and Vredenburg Air Quality Monitoring stations which have been commissioned and operated throughout the Saldanha Bay Municipality Area by Argos Scientific Africa (Pty) Ltd since 2015 and by Skyside South Africa (Pty) Ltd since October 2024.

This report covers activities during June 2026.

Data capture at Saldanha was >97% for all pollutants except ozone (86%) as the analyser developed a flow fault which was attended to on 17 June 2026.

Data capture at Vredenburg was >99% for all pollutants.

There were **no** DFFE Air Quality Standard exceedances during June 2026.

Meteorological conditions at the Saldanha AQM site were characterised by moderate to strong winds from the south (S) and south-east (SE), with a significant moderate to strong north-westerly (NW) bias. There was an 8.7% occurrence of calm conditions.

Meteorological conditions at the Vredenburg AQM site were characterised by moderate to strong winds from the south (S) and south-east (SE), with a moderate north-westerly (NW) and northerly (N) bias. There was a 7.5% occurrence of calm conditions.

REPORT DETAILS

Reference	AS1138\sbm\202606
Report Title	Ambient Air Quality Monitoring Report for Saldanha Bay and Vredenburg Sites : June 2026
Date Submitted	8 July 2026
Client	René Toesie Saldanha Bay Municipality Pick and Pay Centre VREDENBURG E-mail: rene.toesie@sbm.gov.za
Prepared by	Shamira Pillay SKYSIDE South Africa 6th Avenue Saldanha Bay E-mail: shamira@skyside.co.za
Signed	
Technical signatory	Grant Ravenscroft  Signed:
Status	Final
Notice	

TABLE OF CONTENTS

1	INTRODUCTION AND BACKGROUND	5
1.1	SCOPE OF WORK	5
1.2	PROJECT DESCRIPTION	5
2	GUIDELINES AND AIR QUALITY STANDARDS	6
3	METHODOLOGY.....	6
3.1	AMBIENT AIR QUALITY	6
3.2	DATA CAPTURE.....	6
4	RESULTS.....	7
4.1	AMBIENT AIR QUALITY TRENDS – SALDANHA BAY AQM STATION	7
4.2	AMBIENT AIR QUALITY TRENDS – VREDENBURG AQM STATION.....	11
4.3	COMPLIANCE	14
4.4	MEAN AND MAXIMUM CONCENTRATIONS	15
4.5	DIURNAL TRENDS	16
4.6	WIND AND POLLUTION ROSES	17
5	CONCLUSIONS AND RECOMMENDATIONS.....	19
	APPENDIX 1: MONITORING METHODOLOGIES	20
1.	CONTINUOUS REAL TIME MONITORS	20
2.	QUALITY CONTROL REQUIREMENTS	23
3.	INSTRUMENT CALIBRATION AND FREQUENCY	23
4.	DATA ACQUISITION REQUIREMENTS	23
5.	SITE SELECTION	24
6.	DATA MANAGEMENT	25
	APPENDIX 2: QUALITY ASSURANCE STATEMENT	26
	APPENDIX 3: SUMMARY TABLE OF HOURLY MEANS (SALDANHA).....	27
	APPENDIX 4: SUMMARY TABLE OF HOURLY MEANS(VREDENBURG).....	35

1 INTRODUCTION AND BACKGROUND

1.1 SCOPE OF WORK


This project covers the communications, data processing and reporting for two Air Quality Monitoring (AQM) Stations in the Saldanha Bay Municipality Area. Argos Scientific's understanding of the scope of work is as follows:

- Establish 3G communications from ambient air quality monitoring station loggers (PC with Linux Operating System) via 2G/3G modem to a centralised server.
- Provide SIM cards for 2G/3G modems.
- Ensure communication support stations and server.
- Provide real-time access to raw data and validated data from SBM offices.
- Provide real-time downloading of raw data and validated data from SBM offices.
- Submission of monthly reports for each monitoring station, including data graphs, exceedance graphs, meteorology, analysis and station status.

1.2 PROJECT DESCRIPTION

This report evaluates data collected from the Saldanha Bay and Vredenburg Air Quality Monitoring Station. The Saldanha Bay station is located at 32°58'56.16"S, 17°59'21.57"E, at Freeport Saldanha to the north east of the town and the Vredenburg station is located at 32°54'6.20"S, 17°59'31.94"E, to the east of the town. These sites meet all the requirements as outlined in the US EPA's "Quality Assurance Handbook for Air Pollution Measurement Systems" and "SANS 1929" report.

Figure 1.2-1 Location of the Air Quality Monitoring Stations at Saldanha Bay & Vredenburg



2 GUIDELINES AND AIR QUALITY STANDARDS

The National Department of Environmental Affairs (DEA) standards for common pollutants as listed in the Government Gazette No.32816, published 24 October 2009, are listed in Table 2-1 below.

Table 2-1 National Ambient Air Quality Standards for SO₂, NO₂, O₃, PM-10 and PM_{2.5}

Pollutant	SO ₂	SO ₂	NO ₂	O ₃	PM-10	PM-2.5
Period	10 minute	1 hour	1 hour	8 hour	1 day	1 day
RSA AQ Standard	191ppb	48ppb	106ppb	61ppb	75 µg/m ³	40 µg/m ³

3 METHODOLOGY

3.1 AMBIENT AIR QUALITY

Ambient concentrations of sulphur dioxide, oxides of nitrogen (NO, NO₂ and NO_x), ozone, and particulates less than 10 µm in diameter (PM-10) are measured at the Saldanha Bay monitoring site and Vredenburg monitoring site in accordance with the latest National Ambient Air Quality Standards (as above) and SANS standard methods. Levels of these pollutants are presented graphically and in table form in section 4 below.

3.2 DATA CAPTURE

Data is analysed for completeness against a required standard of 90% and presented in Table 3.2-1 below.

Table 3.2-1 Percentage Data Capture for Ambient Air Quality Pollutants during June 2026 at the Saldanha & Vredenburg AQM Site

Pollutant\Station	Saldanha Bay	Vredenburg
Nitrogen Dioxide	98.0%	99.9%
Ozone	86.5%	99.9%
PM-10	98.4%	0%
PM-2.5	98.4%	0%
Sulphur Dioxide	97.5%	99.9%

4 RESULTS

4.1 AMBIENT AIR QUALITY TRENDS – SALDANHA BAY AQM STATION

A graphical summary of pollutants for June 2026 is provided in Figure 4.1-1– Figure 4.1-7 below. A tabulated summary of results is attached as Appendix 1.

Figure 4.1-1 Daily Mean SO₂ Concentrations at Saldanha Bay in June 2026




Figure 4.1-2 Mean 10-minute SO₂ Concentrations at Saldanha Bay in June 2026






Figure 4.1-3 1 Hourly Mean NO₂ Concentrations at Saldanha Bay in June 2026Figure 4.1-4 Daily Mean NO_x Concentrations at Saldanha Bay in June 2026




Figure 4.1-5 Eight-hourly Rolling Mean O₃ Concentrations at Saldanha Bay in June 2026**Figure 4.1-6 Daily Mean PM₁₀ Concentrations at Saldanha Bay in June 2026**

Figure 4.1-7 Daily Mean PM-2.5 Concentrations at Saldanha Bay in June 2026



4.2 AMBIENT AIR QUALITY TRENDS – VREDENBURG AQM STATION

A graphical summary of pollutants for June 2026 is provided in Figure 4.2-1 to Figure 4.2-5 below. A tabulated summary of results is attached as Appendix 2.

Figure 4.2-1 Daily Mean Hourly SO₂ Concentrations at Vredenburg in June 2026




Figure 4.2-2 Daily Maximum 10-minute SO₂ Concentrations at Vredenburg in June 2026







Figure 4.2-3 Daily Maximum NO₂ Concentrations at Vredenburg in June 2026**Figure 4.2-4 Daily Mean Hourly NO_x Concentrations at Vredenburg in June 2026**

Figure 4.2-5 Eight-hourly Rolling Mean O₃ Concentrations at Vredenburg in June 2026

4.3 COMPLIANCE

Compliance with National Ambient AQM Standards can be found in Table 4.3-1 below.

Table 4.3-1 Compliance with National Ambient Air Quality Standards at the Saldanha & Vredenburg Site – Number of Exceedances for June 2026

Pollutant	Saldanha	Vredenburg	Averaging Period	NAAQ Standard
Sulphur Dioxide	0	0	10 minutes	191
Sulphur Dioxide	0	0	1 hour	134
Sulphur Dioxide	0	0	24 hour	48
Nitrogen Dioxide	0	0	1 hour	106
Ozone	0	0	8 hour	61
PM-10	0	0	24 hour	75
PM-2.5	0	0	24 hour	40

4.4 MEAN AND MAXIMUM CONCENTRATIONS

Statistical Analysis of ambient pollutants can be found in Table 4.4-1 below.

Table 4.4-1 Mean and Maximum Pollutant Concentrations during June 2026 at Saldanha & Vredenburg sites (80% data capture required)

Pollutant	Saldanha	Vredenburg	Averaging Period
Sulphur Dioxide	1	1	Monthly Mean (ppb)
Sulphur Dioxide	4	2	24 Hour Avg Maximum (ppb)
Sulphur Dioxide	4	4	1 Hour Avg Maximum (ppb)
Nitrogen Dioxide	6	3	Monthly Mean (ppb)
Nitrogen Dioxide	11	6	24 Hour Avg Maximum (ppb)
Nitrogen Dioxide	22	14	1 Hour Avg Maximum (ppb)
Ozone	27	24	Monthly Mean (ppb)
Ozone	46	36	24 Hour Avg Maximum (ppb)
Ozone	59	39	1 Hour Avg Maximum (ppb)
PM-10	24	-	Monthly Mean ($\mu\text{g}/\text{m}^3$)
PM-10	54	-	24 Hour Avg Maximum ($\mu\text{g}/\text{m}^3$)
PM-10	155	-	1 Hour Avg Maximum ($\mu\text{g}/\text{m}^3$)
PM-2.5	10	-	Monthly Mean ($\mu\text{g}/\text{m}^3$)
PM-2.5	18	-	24 Hour Avg Maximum ($\mu\text{g}/\text{m}^3$)
PM-2.5	36	-	1 Hour Avg Maximum ($\mu\text{g}/\text{m}^3$)

4.5 DIURNAL TRENDS

Diurnal trends of the ambient pollutants are only shown for those pollutants where overall data capture was above 50%, which is considered representative enough for providing an indication of diurnal trends. These trends can be found in Table 4.5.1 and Table 4.5.2 below.

Figure 4.5.1 Diurnal Trend for Ambient Air Pollutants at Saldanha Bay in June 2026






Figure 4.5-2 Diurnal Trend for Ambient Air Pollutants at Vredenburg in June 2026



4.6 WIND AND POLLUTION ROSES

Wind roses for June 2026 is shown in Figures 4.6-1 and 4.6-2 below.

Figure 4.6-1 Wind Rose for Saldanha Bay for June 2026



SBM - SBM Vredenburg Wind Rose - June 2026

Calms ≤ 0.5 m/s: 7.5%

- 0 to 3 m/s = light
- 3 to 5 m/s = moderate
- 5 to 8 m/s = strong
- 8 to 15 m/s = vstrong
- 15 to 25 m/s = gale
- > 25 m/s = gale

5 CONCLUSIONS AND RECOMMENDATIONS

Information on data collection and compliance with standards are presented below and covers activities during June 2026.

- Data capture at Saldanha was >97% for all pollutants except ozone (86%) as the analyser developed a flow fault which was attended to on 17 June 2026.
- Data capture at Vredenburg was >99% for all pollutants.
- There were **no** DFFE Air Quality Standard exceedances during June 2026.

Meteorological conditions at the Saldanha AQM site were characterised by moderate to strong winds from the south (S) and south-east (SE), with a significant moderate to strong north-westerly (NW) bias. There was an 8.7% occurrence of calm conditions.

Meteorological conditions at the Vredenburg AQM site were characterised by moderate to strong winds from the south (S) and south-east (SE), with a moderate north-westerly (NW) and northerly (N) bias. There was a 7.5% occurrence of calm conditions.


APPENDIX 1: MONITORING METHODOLOGIES*1. CONTINUOUS REAL TIME MONITORS*

Continuous real-time monitors are used to measure real-time concentrations of gases. These are usually one part of an AQMS and often are remote in location and need to be connected in a network as per Figure A below. Such a system would have the following as a minimum requirement:

- Environmental enclosure
- Inlet manifold
- Analysers
- Calibration
- Meteorological instrumentation
- Data acquisition
- Data reporting
- Communication
- Housekeeping (log book, shelter check sheet, instruments data sheets)

In particular the monitoring station would have the following basic components:

- Monitoring station design
 - Housing
 - Air inlet system
 - Monitoring instrumentation
 - Calibration of monitors
 - Logging devices

Figure A. A Typical Air Quality Monitoring System Design

- Monitoring Methods

This section gives an overview of the methods employed in the continuous monitoring of ambient compounds.

1.1 CO/CO₂

CO and CO₂ are monitored continuously by non-dispersive infrared photometry.

The non-dispersive infrared photometry process is based upon the absorption of infrared light by CO or CO₂.

1.2 NO_x

Oxides of nitrogen are measured continuously by the principle of chemiluminescence.

The air sample is split into two pathways: one to measure NO and the other to measure total NO_x. The intensity of light is measured with a photomultiplier to obtain the concentration of NO. To obtain NO₂ the sample gas is passed through a moly converter.

Measurement is the sum of NO₂ and NO, expressed as NO_x.

1.3 SO₂/H₂S

SO₂ and H₂S are monitored continuously by pulsed fluorescence.

In this method, air is drawn through a chamber where it is irradiated with pulses of ultra-violet (UV) light. Any SO₂ in the sample is excited to a higher energy level and upon returning to its original state, light or fluorescence is released. The amount of fluorescence measured is proportional to the SO₂ concentration.

1.4 O₃

O₃ is monitored continuously using ultra-violet (UV) light absorption.

The sampled air is exposed to UV light which is absorbed by the O₃. The amount of UV light absorbed is proportional to the amount of O₃ in the sample; that is, the more UV light is absorbed, the greater the amount of O₃ in the sample.

1.5 PM-10 and PM-2.5

Particulate matter is monitored continuously and intermittently. The Tapered Element Oscillating Microbalance (TEOM) is the most widely used and continuous PM-10 (or PM-2.5) monitor.

The TEOM draws an air sample through an inlet system that aerodynamically separates particles of a specified diameter. The air sample then passes through a filter that is attached to a tapered element in the mass transducer. This tapered element vibrates at its natural frequency. As particles are deposited onto the filter, the oscillating frequency changes in proportion to the amount of mass deposited.

1.6 Meteorological Parameters

Meteorological parameters such as wind direction, wind speed, temperature, relative humidity, solar radiation and atmospheric pressure are monitored in order to assist in identifying the sources of elevated concentration events or episodes.

2. QUALITY CONTROL REQUIREMENTS

Quality control of the monitored data is important to verify that the data reported is accurate and of a low uncertainty. Each monitoring station or passive monitoring site should be treated as if it were a laboratory. A laboratory is defined as “A place equipped for testing and analysis” or “A place providing the opportunity for observation in a field of study”.

It must be noted that it has been stated by DEA that only air quality data that is accredited will be accepted by DEA. The definition for accreditation is “the procedure by which an authoritative body gives formal recognition that a body is competent to carry out specific tasks”. In order to be accredited a sampling method must have:

- A recognised methodology that competence can be measured against
- A quality system
- Have been audited by a certification body

A relevant quality system for air quality measurements according to SANAS is ISO 17025. This system provides guidance to laboratories on essential elements for both:

- Quality management
- Technical requirements for the proper operation of a testing laboratory

3. INSTRUMENT CALIBRATION AND FREQUENCY

This section covers the calibration of continuous air quality monitors. The basic requirements based on the US EPA Red Book are:

- Each analyser must have a dynamic calibration every three months
- This type of calibration must also be carried out on installation, after any repair, if tolerances of zero/ span are not met and if the analyser is relocated
- Zero and span calibration every two weeks
- Zero check every other week

4. DATA ACQUISITION REQUIREMENTS

This section also refers to an AQMS based on continuous monitoring from a monitoring station and to the data logging system:

The data logger must:

- Be verified annually
- Output from the analyser must be recorded
- Generate hourly mean concentrations
- Be able to scan at 30 second intervals with a minimum scan period of 1 hour and store this data
- Collect at least 40 minutes of uninterrupted data per hour for a valid average
- Use calculations verified by a statistician

5. SITE SELECTION

The following quote is noteworthy when considering the location of sites: *“Irrespective of how well a monitoring station is run, if it is not sited correctly data collected will have little value”*

As was mentioned earlier sites are selected for one of the following reasons:

- To judge compliance with air quality standards
- To activate emergency control procedures for episodes
- To observe pollution trends throughout a region
- To provide a database for research.

When selecting monitoring sites the following must be considered:

- **Economic:** Resources must be available for the expensive instrumentation, data retrieval and evaluation, maintenance and quality assurance and reporting of data
- **Security:** Problems can arise in this regard that make a site unsuitable when standard measures are taken into account
- **Logistics:** Planning, staffing, procurement procedures, training, communications, safety, task scheduling
- **Atmospheric conditions:**
 - Variability of air pollutants and their transport (effects of buildings, terrain and heat sources)
 - Dispersion factors – wind speed, wind direction, atmospheric stability
- **Topography:** Transport and diffusion of air pollutants are complicated by topographical features such as valleys or hills
- **Pollutant consideration:** A sampling site for one pollutant may or may not be suitable for other pollutants
 - For example, monitoring ozone close to primary NO emissions would not provide accurate pollutant information
- The final placement once a monitoring site has been selected depends on the presence of physical obstructions, accessibility and availability of utilities.
- **Obstructions** such as trees and buildings significantly affect the air flow over the monitoring station and the placement should expose the station to the general air flow of the area to prevent sampling bias.
- **Major roads** can produce bias, and sites should be 15-60m away unless there are specific requirements for roadway monitoring. Typically, sites would be between 3m and 15m away in this case.

6. DATA MANAGEMENT

All monitoring stations produce data that may be used for various reasons as outlined above. The following should be noted when dealing with this monitoring data and systems should be designed to accommodate the following:

- A copy of the raw data must always be available
- A record must be kept of any adjustments made
- All multiplication factors/ algorithms/ manipulations on the data must be recorded and reported
- Data must be kept for a minimum of 3 years
- When data is reported the temperature and pressure at which the analyser was last calibrated must be indicated on the test report

The following points must be considered when preparing a monitoring plan:

- Local authority responsible for monitoring
- Check to see if Province has information about your area
- Check to see whether DEA has information about your area (SAAQIS)
- Do screening study to see which pollutants, if any are of concern
- SANS 1929 lets you make management decisions on whether costly continuous monitoring is needed
- If so, focus on quality control, reporting 80% or more of available data
- Use data to manage improvements in air quality

APPENDIX 2: QUALITY ASSURANCE STATEMENT

The Q2 Dynamic Calibrations were done on 22 and 23 April 2026, all analysers meeting EPA requirements and giving a linear response. Site visits were conducted on 3 & 30 June 2026.

NO_x, SO₂, O₃ and PM₁₀/PM_{2.5} were operational at Saldanha & NO_x, SO₂ and O₃ at Vredenburg.

Analyser	Expected	Actual	Error (%)
SO ₂ (Saldanha - 23/04/2026)	401ppb**	410ppb	+2.2%
NO ₂ (Saldanha - 23/04/2026)	400ppb**	392ppb	-2.0%
O ₃ (Saldanha – 23/04/2026)	400ppb**	408ppb	+2.0%
SO ₂ (Saldanha - 30/06/2026)	254ppb*	229ppb	-9.8%
NO ₂ (Saldanha – 30/06/2026)	1008ppb*	1082ppb	+7.3%
O ₃ (Saldanha – 30/06/2026)	400ppb*	364ppb	-9.0%
SO ₂ (Vredenburg - 22/04/2026)	400ppb**	381ppb	-5.0%
NO ₂ (Vredenburg - 22/04/2026)	400ppb**	404ppb	+1.0%
O ₃ (Vredenburg – 22/04/2026)	400ppb**	402ppb	+0.5%
O ₃ (Vredenburg – 03/06/2026)	400ppb*	374ppb	-6.5%

**Dynamic Calibration 80% set-point

*IZS

APPENDIX 3: SUMMARY TABLE OF HOURLY MEANS (SALDANHA)

POLLUTANT: no_

HOURLY MEAN CONCENTRATIONS

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	4	2	2	1	1	1	4	3	2	2	2	4	3	3	2	2	1	1	1	1	2	20	1	8	3	20
2026-06-02	11	2	1	2	9	9	15	13	28	22	18	6	4	3	3	3	2	1	1	1	1	1	1	1	7	28
2026-06-03	2	1	1	1	1	1	1	1	1	2	3	3	3	2		2	2	2	2	2	1	1	1	1	2	3
2026-06-04	1	1	1	1	1	1	1	2	2	3	3	3	2	2	2	2	1	1	1	1	1	1	1	1	2	3
2026-06-05	1	1	1	1	1	1	2	27	23	13	2	2	2	2	2	2	2	1	1	2	2	2	7	2	4	27
2026-06-06	3	18	8	1	3	3	17	9	29	19	5	4	5	4	1	1	1	1	1	1	1	2	15	7	7	29
2026-06-07	4	9	20	41	16	14	16	11	10	15	11	5	7	6	4	1	2	1	1	1	1	1	1	1	8	41
2026-06-08	1	1	1	1	1	1	1	2	5	7	3	2	2	2	2	2	2	2	1	1	1	1	1	1	2	7
2026-06-09	1	1	1	1	2	2	1	3	4	5	3	3	3	2	2	1	2	2	1	1	1	1	1	1	2	5
2026-06-10	1	1	1	1	1	1	6	2	16	15	18	19	6	8	3	2	2	2	1	1	2	3	1	1	5	19
2026-06-11	1	1	1	1	1	1	1	1	1	3	2	3	2	2	2	1	2	1	1	1	1	1	1	1	1	3
2026-06-12	1	1	1	1	1	1	1	1	2	2	2	2	2	1	1	2	2	1	1	1	1	3	12	19	3	19
2026-06-13	3	3	14	4	1	2	2	5	17	22	6	3	3	2	1	1	1	1	1	2	4	19	22	1	6	22
2026-06-14	1	2	16	12	3	6	11	5	11	9	2	1	2	2	2	1	1	1	1	3	2	8	9	25	6	25
2026-06-15	25	13	9	5	1	1	5	13	33	12	11	5	5	2	2	2	1	1	1	1	1	1	1	1	6	33
2026-06-16	1	1	1	1	1	1	1	1	3	2	1	2	2	2	2	2	2	1	1	1	1	1	1	1	1	3
2026-06-17	1	1	1	2	1	2	3	8	17	5	3	7	6	9	4	2	3	2	1	1	1	1	1	1	3	17
2026-06-18	1	1	1	1	1	1	1	2	4	3	3	3	3	2	2	2	1	1	1	1	1	1	1	1	2	4
2026-06-19	1	1				2	2	4	33	10	4	5	3	2	1	4	5	3	2	2	3	2	1	2	4	33
2026-06-20	3	2	5	2	2	2	4	2	12	14	4	6	2	2	1	1	1	3	2	2	1	5	3	3	4	14
2026-06-21	5	4	16	11	2	1	1	1	1	2	3	2	1	1	2	1	1	1	1	1	1	1	1	1	3	16
2026-06-22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	2	1	1	2	2	1	1	2
2026-06-23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2
2026-06-24	1	1	1	1	1	1	2	2	2	3	4	2	2	2	2	2	2	1	1	1	1	1	1	2	2	4
2026-06-25	2	5	2	1	1	1	26	25	15	22	11	3	4	3	8	9	8	2	1	3	7	17	1	1	7	26
2026-06-26	2	2	1	1	1	1	1	2	1	1	2	2	3	4	2	2	2	2	1	2	5	5	5	1	2	5
2026-06-27	1	1	1	1	1	3	2	1	1									0	1	1	1	1	1	1	1	3
2026-06-28	2	1	2	1	2	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2026-06-29	1	1	1	1	1	1	1	2	6	6	4	2	3	2	2	1	1	1	1	1	1	1	1	1	2	6
2026-06-30	1	1	2	2	2	3	5	9	13	25	11			2	2	2	2	1	1	2	1	2	2	9	5	25
Mean	3	3	4	3	2	2	5	5	10	9	5	4	3	3	2	2	2	1	1	1	2	4	3	3	3	
Max	25	18	20	41	16	14	26	27	33	25	18	19	7	9	8	9	8	3	2	3	7	20	22	25	8	41

POLLUTANT: no2

HOURLY MEAN CONCENTRATIONS

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	7	5	7	9	8	7	12	9	6	4	5	5	4	4	4	2	3	3	4	3	4	11	4	7	6	12
2026-06-02	9	4	3	4	6	7	6	6	9	9	11	7	5	6	7	7	6	5	6	5	6	7	7	5	6	11
2026-06-03	5	4	3	3	3	2	3	4	6	6	7	6	4	3		5	5	6	4	3	4	5	4	3	4	7
2026-06-04	3	3	3	3	2	2	2	4	5	4	4	5	4	4	3	2	3	3	4	5	6	8	7	5	4	8
2026-06-05	5	4	3	4	5	4	8	17	17	10	3	2	2	3	4	3	5	6	8	11	9	10	13	9	7	17
2026-06-06	7	15	16	7	13	11	10	12	13	12	7	6	6	5	2	2	3	3	5	6	7	11	13	12	8	16
2026-06-07	8	9	13	11	11	9	10	9	9	10	8	5	10	11	9	3	3	2	4	8	9	9	7	5	8	13
2026-06-08	4	3	4	3	5	5	4	7	12	9	6	4	3	2	3	4	5	7	7	7	4	4	10	4	5	12
2026-06-09	3	8	10	12	15	13	9	10	9	7	5	5	5	4	3	3	4	4	6	3	5	5	7	10	7	15
2026-06-10	16	12	8	12	11	8	11	5	10	10	9	9	6	6	6	6	8	11	14	20	16	16	12	11	11	20
2026-06-11	10	8	5	5	4	5	4	5	3	4	3	3	2	3	2	1	2	1	1	1	1	1	1	1	3	10
2026-06-12	1	1	1	2	2	2	3	4	6	2	2	2	2	1	2	1	2	3	5	4	4	9	12	15	4	15
2026-06-13	10	9	10	7	4	6	7	7	8	13	5	3	4	3	2	2	2	2	3	7	12	10	13	16	7	16
2026-06-14	4	6	11	10	6	7	8	8	7	6	3	2	3	3	2	1	1	2	2	10	6	9	12	15	6	15
2026-06-15	12	9	10	8	6	7	13	11	11	10	8	5	5	3	2	3	3	3	3	3	4	3	4	5	6	13
2026-06-16	6	5	5	4	3	2	4	6	9	4	2	2	3	2	2	3	5	7	7	5	4	5	5	6	4	9
2026-06-17	6	6	7	7	3	8	10	13	16	7	4	7	6	9	6	4	9	10	5	9	11	8	7	4	8	16
2026-06-18	11	7	7	5	5	5	4	6	12	6	5	4	4	3	3	3	3	3	4	5	6	6	6	4	5	12
2026-06-19	4	5				4	6	8	15	8	5	6	4	2	2	6	12	13	12	13	14	10	10	10	8	15
2026-06-20	12	10	11	9	8	10	12	10	14	11	6	8	4	4	4	3	4	19	20	15	17	22	17	15	11	22
2026-06-21	17	11	16	17	9	2	3	2	5	5	5	3	1	2	2	1	2	3	4	5	5	7	3	1	5	17
2026-06-22	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	2	4	3	1	2	2	3	4	2	4
2026-06-23	2	1	1	1	1	1	1	2	2	1	1	1	1	1	2	1	1	1	1	2	1	4	2	2	1	4
2026-06-24	3	2	2	1	2	9	7	6	6	6	7	3	2	3	4	4	4	2	3	4	5	7	8	10	5	10
2026-06-25	8	12	8	6	6	5	8	10	9	9	8	4	5	4	9	12	14	7	7	14	12	10	3	2	8	14
2026-06-26	5	5	2	2	2	2	2	5	4	2	4	3	6	6	3	4	8	10	11	12	14	15	15	6	6	15
2026-06-27	6	4	6	5	3	10	8	4	4										4	3	4	4	2	1	5	10
2026-06-28	2	1	2	1	3	1	1	1	1	2	2	1	1	1	1	1	1	1	3	3	1	2	2	2	2	3
2026-06-29	2	1	2	1	2	7	6	10	13	9	5	2	5	3	2	2	3	2	11	4	6	9	6	8	5	13
2026-06-30	10	7	13	11	8	11	8	8	8	9	11			8	7	6	5	6	8	10	8	7	8	8	8	13
Mean	7	6	7	6	5	6	6	7	8	7	5	4	4	4	4	3	4	5	6	7	7	8	7	7	6	
Max	17	15	16	17	15	13	13	17	17	13	11	9	10	11	9	12	14	19	20	20	17	22	17	16	11	22

POLLUTANT: nox**HOURLY MEAN CONCENTRATIONS**

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	11	7	9	10	9	8	17	12	8	6	7	8	7	6	6	4	4	4	5	4	7	31	5	15	9	31
2026-06-02	20	6	4	6	16	16	21	20	37	31	29	12	9	9	10	10	8	6	8	6	7	9	8	6	13	37
2026-06-03	6	5	4	4	4	4	5	5	7	8	10	9	6	5		6	7	8	6	5	5	7	5	4	6	10
2026-06-04	4	4	4	4	4	3	4	6	6	7	7	8	6	7	5	4	4	5	5	6	7	9	8	7	6	9
2026-06-05	6	5	4	5	7	6	10	44	40	23	6	4	3	4	6	5	6	7	9	13	10	12	19	11	11	44
2026-06-06	10	33	24	9	16	14	27	21	41	31	13	10	11	8	3	3	4	5	6	7	8	13	27	19	15	41
2026-06-07	12	18	33	51	28	24	26	20	19	25	19	10	18	17	13	5	5	4	6	9	10	10	8	6	16	51
2026-06-08	5	4	5	4	6	7	5	9	17	16	10	6	5	4	5	6	7	9	8	8	6	5	11	5	7	17
2026-06-09	4	9	11	14	17	15	10	12	13	12	8	8	9	6	5	4	5	6	7	5	6	7	8	11	9	17
2026-06-10	18	13	10	13	12	9	17	8	26	25	27	28	12	14	9	8	10	13	16	21	18	18	13	12	15	28
2026-06-11	11	9	7	6	5	6	5	6	4	6	5	5	4	4	3	2	4	3	2	2	2	2	2	3	4	11
2026-06-12	2	2	3	3	3	3	4	5	8	4	4	4	3	3	3	3	3	4	7	6	6	12	24	34	6	34
2026-06-13	12	13	23	12	6	8	9	12	25	35	11	6	8	5	3	3	3	3	4	9	15	29	35	17	13	35
2026-06-14	5	8	26	22	10	13	19	13	18	15	5	3	5	5	4	3	3	4	13	8	17	21	40		12	40
2026-06-15	37	22	20	13	7	9	18	24	44	22	19	10	10	5	4	4	4	5	4	4	6	4	6	6	13	44
2026-06-16	7	6	6	6	4	4	6	8	12	6	4	4	5	4	4	5	6	8	8	6	5	6	6	7	6	12
2026-06-17	7	7	8	8	4	9	12	21	32	11	7	14	12	18	9	6	11	12	6	10	12	9	8	5	11	32
2026-06-18	12	8	8	6	6	7	5	9	17	10	8	6	6	5	5	5	4	5	5	6	7	7	7	5	7	17
2026-06-19	5	6				6	8	13	48	18	8	11	7	4	3	10	17	16	14	15	17	11	11	11	12	48
2026-06-20	15	13	16	11	10	12	16	12	26	25	10	14	6	6	5	4	5	22	22	16	19	27	20	18	15	27
2026-06-21	23	15	32	28	10	4	4	4	6	7	7	5	3	3	4	3	3	4	4	6	6	8	4	3	8	32
2026-06-22	3	2	2	3	2	2	2	3	2	3	2	3	2	3	3	2	3	5	4	2	3	4	4	5	3	5
2026-06-23	3	2	2	2	2	2	2	3	3	3	3	2	3	3	3	3	3	3	2	3	2	5	3	4	3	5
2026-06-24	4	3	3	2	3	10	9	8	8	9	11	5	4	4	6	7	6	4	4	5	6	7	9	12	6	12
2026-06-25	10	17	10	8	7	7	33	35	24	31	19	6	9	7	17	21	22	9	8	17	18	27	5	3	15	35
2026-06-26	7	6	4	4	3	3	3	7	6	4	6	5	9	9	4	6	10	12	12	14	20	20	20	7	8	20
2026-06-27	7	5	7	6	4	13	10	5	6										5	3	5	6	3	2	6	13
2026-06-28	4	2	4	2	6	2	2	2	2	4	3	2	2	3	2	2	2	2	4	4	3	3	3	3	3	6
2026-06-29	3	3	3	2	3	8	8	12	19	15	9	4	8	5	4	3	4	4	13	5	7	10	7	9	7	19
2026-06-30	11	8	16	13	9	14	13	17	21	33	22			10	10	8	7	7	9	11	10	9	10	17	13	33
Mean	9	9	11	10	8	8	11	13	18	15	10	8	7	6	6	5	6	7	7	8	9	11	11	10	9	
Max	37	33	33	51	28	24	33	44	48	35	29	28	18	18	17	21	22	22	22	21	20	31	35	40	16	51

POLLUTANT: o3_

HOURLY MEAN CONCENTRATIONS

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	6	7	14	14	15	14	9	11	18	23	23	24	28	30	31	33	31	31	30	29	14	9	15	13	20	33
2026-06-02	15	16	15	16	8	8	8	8	9	11	15	30	32	40	43	42	43	41	36	34	31	30	30	31	25	43
2026-06-03	32	35	36	37	38	39	38	37	35	37	37	39	43	44		30	28	25	27	28	26	25	26	27	33	44
2026-06-04	27	26	26	25	26	27	27	26	26	26	26	27	30	32	33	34	33	31	30	27	23	21	19	14	27	34
2026-06-05	17	9	13	14	18	12	10	3	5	12	23	27	30	29	29	31	33	30	22	7	5	4	4	8	16	33
2026-06-06	7	2	4	14	5	5	2	2	3	9	20	24	25	28	31	32	36	32	23	7	8	7	3	4	14	36
2026-06-07	7	6	2	2	2	2	2	3	6	6	11	18	18	18	21	27	28	31	23	18	15	11	14	13	13	31
2026-06-08	13	15	13	15	11	10	9	9	8	13	20	25	27	30	29	28	27	22	21	19	23	23	15	24	19	30
2026-06-09	23	17	13	11	7	8	11	8	7	11	16	19	20	25	27	30	30	31	29	30	27	27	23	21	20	31
2026-06-10	12	11	14	10	10	9	7	11	8	8	10	12	18	19	26	30	29	28	31	21	16	14	11	14	16	31
2026-06-11	16	18	17	16	17	20	26	25	30	32	38	39	39	39	39	38	38	38	39	39	40	41	40	39	32	41
2026-06-12	37	35	35	35	38	37	33	28	32	38	41	40	44	45	45	44	42	34	27	31	23	21	17	17	34	45
2026-06-13	21	19	17	24	25	21	19	17	18	23	31	38	41	45	49	50	50	48	46	33	25	21	21	27	30	50
2026-06-14	36	28	21	22	25	25	28	26	32	32	50	56	57	58	58	59	57	49	52	38	32	36	31	29	39	59
2026-06-15	30	31	37	39	47	45	39	39	40	45	48														40	48
2026-06-16																										
2026-06-17																30	26	21	25	19	18	21	21	22	23	30
2026-06-18	17	19	18	21	25	23	24	18	12	23	24	28	30	32	32	33	33	31	29	27	22	21	22	23	24	33
2026-06-19	22	18				12	5	3	3	14	19	20	24	29	31	25	21	17	11	7	5	8	8	7	15	31
2026-06-20	6	10	7	9	9	9	5	9	4	9	19	19	30	35	37	38	35	13	11	9	7	5	9	4	14	38
2026-06-21	5	7	2	7	13	22	23	24	21	27	28	31	30	32	32	31	30	28	21	17	15	9	13	17	20	32
2026-06-22	21	26	33	33	34	35	37	36	36	36	38	38	39	40	41	41	40	38	38	39	37	38	38	37	36	41
2026-06-23	38	38	37	36	36	35	34	32	31	32	32	33	33	34	35	35	35	34	34	33	34	37	37	36	35	38
2026-06-24	32	32	34	34	34	27	26	25	28	28	27	32	33	34	33	34	38	39	37	32	30	25	20	17	30	39
2026-06-25	13	13	19	22	23	22	15	15	17	20	29	36	37	40	37	36	34	40	36	30	26	27	40	44	28	44
2026-06-26																										
2026-06-27																		34	33	35	38	39	42	43	38	43
2026-06-28	43	44	44	45	43	46	47	48	48	47	47	48	48	46	46	46	46	48	45	41	48	47	47	40	46	48
2026-06-29	39	44	47	48	41	42	36	26	26	35	43	49	46	53	54	55	54	54	44	50	42	36	38	41	43	55
2026-06-30	36	39	31	26	29	28	27	26	27	31	40			29	29	31	31	29	24	13	9	-0	-0	-1	24	40
Mean	22	22	22	23	23	22	21	20	20	24	29	31	33	35	36	36	36	33	31	26	24	22	22	23	27	
Max	43	44	47	48	47	46	47	48	48	47	50	56	57	58	58	59	57	54	52	50	48	47	47	44	46	59

POLLUTANT: Sulphur Dioxide**HOURLY MEAN CONCENTRATIONS µg/m**

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
2026-06-02	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2	2	2	2
2026-06-03	2	2	2	2	2	2	2	2	2	2	2	2	2	2		1	1	1	1	1	1	1	1	1	1	2
2026-06-04	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-05	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-06	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-07	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-08	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	1	1	1
2026-06-09	1	1	0	0	1	0	1	1	1	1	1	1	1	1	1	0	0	0	0	0	1	0	0	0	0	1
2026-06-10	0	1	0	1	1	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2
2026-06-15	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
2026-06-16	2	2	2	3	3	3	3	3	3	3	3	3	2	2	3	3	3	3	3	3	3	3	3	3	3	3
2026-06-17	3	3	3	3	4	4	4	4	4	4	4	4	3	3	3	3	3	3	3	3	3	3	3	3	3	4
2026-06-18	3	3	3	3	3	3	3	3	3	4	4	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4
2026-06-19	4	4					4	4	4	4	4	4		1	1	1	1	1	1	1	1	1	1	1	2	4
2026-06-20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2
2026-06-21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-27	1	1	1	1	1	1	1	1	1														1	1	1	1
2026-06-28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-29	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-30	1	1	1	1	1	1	1	1	1	1	1			1	1	1	1	1	1	1	1	1	1	1	1	1
Mean	1	1	1	1	1	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Max	4	4	3	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4

POLLUTANT: p10

HOURLY MEAN CONCENTRATIONS

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	16	13	16	15	13	9	10	14	18	17	16	19	16	21	18	12	11	10	13	15	12	11	11	19	14	21
2026-06-02	10	8	7	11	17	13	17	20	24	18	17	16	18	21	29	21	19	33	46	33	25	22	18	17	20	46
2026-06-03	15	16	20	45	47	38	39	52	55	55	55	99	115	155	117	57	47	47	22	18	21	39	56	62	54	155
2026-06-04	58	40	32	26	25	23	33	32	36	31	35	37	32	33	35	47	35	39	36	32	35	32	28	21	34	58
2026-06-05	19	16	15	13	12	10	15	30	29	26	12	11	10	15	20	20	15	15	22	25	17	24	33	22	19	33
2026-06-06	22	48	26	19	20	23	36	20	54	25	24	21	21	19	14	16	18	21	21	27	21	30	41	25	26	54
2026-06-07	27	33	31	36	31	31	28	22	24	29	31	18	17	28	37	46	30	21	30	37	39	32	21	24	29	46
2026-06-08	19	15	13	17	19	21	21	27	52	39	15	13	11	12	15	15	16	19	8	6	6	5	5	3	16	52
2026-06-09	5	4	9	14	13	12	11	9	9	12	10	14	19	18	20	12	13	12	14	17	14	12	10	10	12	20
2026-06-10	10	9	7	9	8	9	10	6	7	10	16	29	50	24	26	32	25	22	23	32	35	33	32	37	21	50
2026-06-11	26	14	21	22	16	14	13	16	14	15	14	28	32	29	25	16	14	18	17	16	15	17	13	13	18	32
2026-06-12	16	19	26	28	25	23	27	22	26	27	21	17	18	18	22	25	28	30	25	34	19	21	40	31	24	40
2026-06-13	21	19	20	6	4	4	4	5	20	16	15	16	17	31	21	20	21	25	37	27	24	27	23	15	18	37
2026-06-14	12	14	25	10	9	9	9	11	14	12	11	11	10	10	10	11	11	14	14	15	9	11	13	19	12	25
2026-06-15	17	17	18	12	10	12	10	10	10	9	9	10	15	24	17	13	15	14	19	20	31	27	25	26	16	31
2026-06-16	22	19	20	15	11	14	17	20	20	14	18	24	20	22	21	27	34	37	37	34	20	31	32	28	23	37
2026-06-17	14	14	21	21	25	18	15	18	31	37	24	30	31	30	26	26	23	29	31	29	28	28	25	32	25	37
2026-06-18	26	23	27	26	20	24	23	22	26	26	23	28	26	23	26	26	26	26	42	41	42	39	28	34	28	42
2026-06-19	33	20				9	11	10	26	35	22	32	20	11	14	22	44	52	42	36	26	19	19	15	25	52
2026-06-20	17	17	17	14	18	15	16	20	18	26	23	36	30	41	56	41	37	52	72	61	61	49	44	42	34	72
2026-06-21	53	37	47	37	28	25	26	23	22	26	41	28	15	14	13	15	15	16	19	15	15	17	11	8	24	53
2026-06-22	7	6	7	9	8	7	6	6	6	7	9	15	17	14	15	16	15	16	16	16	15	20	24	23	12	24
2026-06-23	19	8	7	17	17	16	17	22	22	19	16	17	19	16	17	19	22	23	22	21	9	11	12	11	17	23
2026-06-24	9	8	10	9	9	9	8	9	10	36	38	17	13	10	35	31	28	29	36	53	52	75	62	39	26	75
2026-06-25	33	44	62	72	93	63	49	34	25	124	24	15	22	46	55	50	56	26	28	35	43	70	49	20	47	124
2026-06-26	24	21	16	15	20	32	33	14	11	12	14	21	25	36	20	16	22	15	24	35	38	41	38	21	24	41
2026-06-27	20	14	12	16	14	15	16	12	15									14	19	20	21	24	20	22	17	24
2026-06-28	19	16	19	17	15	13	17	19	13	12	14	10	10	12	13	9	7	12	23	24	28	33	28	25	17	33
2026-06-29	28	31	19	22	20	28	26	18	18	20	14	12	15	21	20	17	22	20	23	27	43	29	29	25	23	43
2026-06-30	34	30	53	50	22	35	28	16	17	29	21	62	40	29	18	15	24	22	19	22	25	17	17	19	28	62
Mean	22	20	21	21	20	19	20	19	22	26	21	24	24	27	27	24	24	24	27	27	26	28	27	24	23	
Max	58	48	62	72	93	63	49	52	55	124	55	99	115	155	117	57	56	52	72	61	61	75	62	62	54	155

POLLUTANT: p25

HOURLY MEAN CONCENTRATIONS

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	11	10	11	11	10	7	7	10	13	12	10	10	8	11	12	7	5	4	6	7	6	6	7	8	9	13
2026-06-02	6	5	5	6	8	7	8	7	9	8	9	7	7	10	9	7	6	9	12	9	6	5	5	5	7	12
2026-06-03	4	5	6	12	13	11	10	11	15	14	13	14	14	16	14	11	12	13	5	4	6	14	17	18	11	18
2026-06-04	17	13	11	9	8	8	11	12	12	9	9	10	9	10	9	10	9	10	11	12	12	10	10	8	10	17
2026-06-05	8	6	6	6	5	4	5	10	9	9	5	4	4	5	6	6	6	6	7	9	7	9	12	9	7	12
2026-06-06	8	16	10	7	8	8	10	8	14	10	9	7	6	6	4	5	7	9	9	10	10	12	18	12	9	18
2026-06-07	15	16	16	18	19	15	15	11	10	12	15	8	6	9	11	12	9	7	10	11	10	8	7	8	12	19
2026-06-08	7	7	6	8	10	11	11	14	25	19	8	8	6	6	7	6	7	10	5	4	4	4	4	3	8	25
2026-06-09	3	3	6	10	10	9	9	7	6	6	6	9	13	13	12	7	8	8	10	13	11	8	7	6	8	13
2026-06-10	6	6	5	7	6	7	8	4	5	7	12	19	27	20	18	22	17	16	16	22	24	21	21	26	14	27
2026-06-11	19	11	15	16	12	10	10	11	10	8	5	9	10	9	9	7	6	8	7	7	7	7	6	5	9	19
2026-06-12	6	7	10	11	10	9	10	9	10	10	7	6	6	7	7	8	8	10	8	12	8	8	15	14	9	15
2026-06-13	10	9	9	4	3	3	3	4	6	8	7	6	6	11	8	7	7	9	13	12	12	13	14	8	8	14
2026-06-14	6	7	11	6	6	5	5	6	7	6	5	4	4	4	4	5	5	6	5	6	4	5	6	9	6	11
2026-06-15	8	8	8	6	5	6	6	5	5	5	5	4	5	7	6	5	5	5	6	7	10	8	9	9	6	10
2026-06-16	9	8	8	6	4	5	5	6	6	4	5	7	7	7	7	8	10	10	11	10	7	10	11	10	8	11
2026-06-17	6	6	8	8	9	8	7	8	10	14	9	11	11	11	10	9	8	10	12	11	11	11	10	13	10	14
2026-06-18	10	10	11	11	8	10	9	9	11	10	8	10	9	8	9	9	9	9	14	15	15	13	10	11	10	15
2026-06-19	11	7				4	4	3	9	12	7	11	6	3	4	7	13	17	15	14	11	6	6	6	8	17
2026-06-20	7	6	6	6	7	8	8	10	10	12	13	15	16	19	22	21	20	25	31	31	31	27	25	25	17	31
2026-06-21	27	23	26	22	19	17	16	15	15	14	15	12	9	9	9	8	8	9	10	9	10	11	8	6	14	27
2026-06-22	5	4	5	6	6	5	4	4	4	5	6	9	10	8	8	9	9	9	9	9	9	11	13	14	8	14
2026-06-23	12	5	4	10	11	10	11	12	12	11	9	9	10	8	8	10	11	12	12	12	6	5	5	5	9	12
2026-06-24	4	4	4	4	4	4	3	3	5	14	15	7	5	5	13	12	10	11	13	19	19	28	25	16	10	28
2026-06-25	15	20	27	29	36	26	21	14	9	26	9	6	8	17	20	19	21	10	12	14	18	25	26	12	18	36
2026-06-26	13	14	11	10	14	21	22	10	8	9	10	14	17	22	14	12	14	11	15	18	19	20	21	13	15	22
2026-06-27	13	10	8	11	10	10	10	8	10									9	12	14	14	14	13	14	11	14
2026-06-28	12	10	12	11	9	7	9	10	7	7	8	5	5	6	6	4	3	6	10	10	10	11	10	8	8	12
2026-06-29	10	11	7	8	7	10	9	7	7	7	5	4	5	7	7	6	7	6	7	9	13	11	9	11	8	13
2026-06-30	12	11	17	15	8	12	8	6	6	9	8	18	12	10	7	5	8	8	7	8	10	8	8	8	10	18
Mean	10	9	10	10	10	9	9	8	10	10	9	9	9	10	10	9	9	10	11	12	11	12	12	11	10	
Max	27	23	27	29	36	26	22	15	25	26	15	19	27	22	22	22	21	25	31	31	31	28	26	26	18	36

APPENDIX 4: SUMMARY TABLE OF HOURLY MEANS(VREDENBURG)

POLLUTANT: o3_

HOURLY MEAN CONCENTRATIONS

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	13	12	12	13	10	5	3	4	10	18	18	20	24	27	27	26	26	24	24	26	25	24	25	21	18	27
2026-06-02	16	13	14	17	20	14	8	4	6	20	20	25	26	25	30	33	33	29	23	22	21	23	23	26	20	33
2026-06-03	26	25	25	24	25	25	24	21	21	21	21	24	27		30	29	26	24	27	27	26	25	26	27	25	30
2026-06-04	27	27	27	27	28	28	27	25	25	27	28	29	30	32	33	33	31	29	27	26	25	23	24	26	28	33
2026-06-05	27	26	27	28	27	25	20	12	11	19	22	26	29	30	31	31	31	29	25	27	30	31	30	28	26	31
2026-06-06	27	25	23	24	23	20	16	11	8	21	26	29	29	29	29	30	32	31	31	27	14	8	22	20	23	32
2026-06-07	14	25	24	26	22	21	23	22	16	14	18	26	26	23	23	24	29	28	23	24	23	21	20	18	22	29
2026-06-08	27	28	27	29	26	20	18	11	11	16	19	23	26	29	28	27	26	24	21	18	21	22	23	21	23	29
2026-06-09	19	20	15	14	11	7	4	2	7	11	12	15	17	20	25	28	28	27	28	23	17	23	22	26	18	28
2026-06-10	27	25	17	14	12	11	4	3	4	6	16	19	21	26	19	25	29	29	28	28	27	23	16	14	18	29
2026-06-11	14	11	12	12	14	17	21	22	23	23	26	26	27	27	26	26	26	26	27	28	29	29	29	30	23	30
2026-06-12	29	28	28	26	26	28	28	24	26	29	31	32	33	33	33	33	31	25	21	20	15	10	17	21	26	33
2026-06-13	24	22	22	17	13	13	10	4	5	17	23	23	28	28	29	31	32	31	31	28	25	23	22	25	22	32
2026-06-14	25	23	18	20	19	22	21	19	18	22	27	32	33	32	32	32	32	28	29	23	12	17	19	20	24	33
2026-06-15	18	20	23	21	12	17	9	6	5	16	24	29	27	29	30	32	31	29	27	26	27	27	25	23	22	32
2026-06-16	22	22	24	26	27	25	25	24	25	25	24	25	26	29	31	31	29	22	22	24	26	24	22	21	25	31
2026-06-17	20	21	21	22	22	20	15	6	12	17	19	20	21	24	26	29	26	25	25	24	22	22	22	23	21	29
2026-06-18	20	23	21	25	25	24	19	17	17	21	23	27	29	30	30	32	30	28	26	23	20	20	21	22	24	32
2026-06-19	22	22	23	23	24	20	17	8	13	19	20	23	26	28	29	29	22	17	16	19	20	20	21	22	21	29
2026-06-20	23	23	23	24	24	24	24	24	24	23	23	23	29	36	37	38	35	31	26	29	27	30	27	27	27	38
2026-06-21	30	32	31	30	27	26	25	25	26	28	29	29	29	31	32	33	31	29	21	22	16	15	18	21	26	33
2026-06-22	26	31	35	35	35	36	36	34	36	37	37	38	37	38	39	38	37	37	37	37	36	37	38	37	36	39
2026-06-23	37	37	36	35	35	34	33	31	32	31	31	31	31	31	32	32	31	30	30	30	31	32	33	34	32	37
2026-06-24	32	30	31	32	30	28	25	17	16	23	23	24	26	26	23	24	27	27	25	23	21	17	17	18	24	32
2026-06-25	17	18	18	15	17	16	13	8	10	15	19	19	21	23	29	29	27	24	19	15	8	15	17	20	18	29
2026-06-26	23	25	25	25	23	22	17	15	14	17	17	17	20	21	26	26	23	18	16	20	17	14	16	21	20	26
2026-06-27	19	15	15	19	21	22	22	20	20	23	24	23	25	26	26	28	26	25	25	25	27	28	29	30	23	30
2026-06-28	30	31	32	31	31	33	33	34	34	34	35	34	34	33	33	32	31	32	31	30	31	30	30	30	32	35
2026-06-29	30	30	32	32	33	29	19	6	12	19	24	30	31	30	31	33	32	29	27	27	26	27	27	21	27	33
2026-06-30	22	24	23	19	17	17	17	11	13	19	23	23	28	29	31	31	32	29	23	26	28	24	25	24	23	32
Mean	24	24	23	24	23	22	19	16	17	21	23	25	27	28	29	30	29	27	25	25	23	23	24	24	24	
Max	37	37	36	35	35	36	36	34	36	37	37	38	37	38	39	38	37	37	37	37	36	37	38	37	36	39

POLLUTANT: nox**HOURLY MEAN CONCENTRATIONS**

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	4	4	3	3	5	7	11	9	5	3	4	4	3	3	2	2	3	3	2	2	2	2	1	1	4	11
2026-06-02	2	2	2	1	1	10	9	20	19	3	5	4	3	4	5	5	4	4	4	4	4	2	3	1	5	20
2026-06-03	1	1	1	1	2	2	2	4	4	4	6	5	4		3	3	4	5	3	2	2	2	2	2	3	6
2026-06-04	2	1	1	1	1	1	2	4	4	3	3	3	3	3	3	3	3	3	3	4	3	3	2	2	3	4
2026-06-05	2	1	1	1	2	3	6	12	15	8	6	4	2	2	2	1	2	4	5	5	3	2	3	3	4	15
2026-06-06	3	3	3	2	2	3	6	15	24	5	4	2	2	2	2	1	1	2	4	6	12	14	7	7	6	24
2026-06-07	8	4	3	3	4	5	6	4	4	6	8	2	3	4	5	3	2	3	5	4	4	3	4	3	4	8
2026-06-08	2	2	2	2	2	4	4	10	10	7	7	4	3	2	2	3	3	4	4	5	3	2	2	2	4	10
2026-06-09	2	2	4	4	5	6	11	30	7	4	5	4	4	4	3	2	2	3	3	4	7	4	4	2	5	30
2026-06-10	2	3	4	5	4	7	15	27	27	23	10	9	8	7	8	7	6	7	8	7	6	6	8	7	9	27
2026-06-11	6	6	5	5	3	3	2	4	2	2	2	1	1	2	1	1	2	2	1	1	1	1	1	1	2	6
2026-06-12	1	1	1	1	2	2	2	4	2	1	1	1	1	1	2	1	2	4	5	4	6	8	5	3	3	8
2026-06-13	2	2	2	2	3	3	8	18	26	9	5	6	3	3	2	2	2	2	3	3	4	5	4	3	5	26
2026-06-14	2	3	3	2	3	2	3	2	2	2	2	2	1	1	1	1	1	2	2	3	7	4	3	2	2	7
2026-06-15	3	3	2	2	7	6	14	19	27	11	6	3	3	3	3	2	3	3	3	3	3	2	3	3	6	27
2026-06-16	3	2	2	1	1	2	2	4	3	3	3	3	3	3	3	3	3	6	5	3	3	3	4	3	3	6
2026-06-17	2	2	2	2	2	5	7	18	11	7	7	5	6	5	6	3	6	6	4	4	4	4	3	3	5	18
2026-06-18	4	2	3	2	3	2	4	7	6	5	4	4	3	3	3	3	3	4	3	4	4	4	3	2	4	7
2026-06-19	2	2	1	2	1	4	7	18	14	6	6	5	4	4	3	4	8	9	8	5	4	3	2	1	5	18
2026-06-20	1	1	1	1	2	2	2	3	3	4	5	4	3	3	2	2	3	6	8	6	4	3	4	3	3	8
2026-06-21	2	2	1	1	1	2	2	2	3	2	2	2	2	1	1	1	2	3	4	3	5	3	1	1	2	5
2026-06-22	1	1	1	1	1	1	1	4	2	1	2	2	2	2	1	1	2	2	1	1	1	1	1	1	1	4
2026-06-23	1	1	1	1	1	1	1	3	2	2	2	2	1	2	1	1	2	2	2	1	1	1	1	1	1	3
2026-06-24	1	3	2	2	2	3	4	9	8	4	3	3	3	3	3	4	4	4	3	3	2	3	3	3	3	9
2026-06-25	3	2	2	3	2	4	6	13	12	9	5	5	4	3	3	3	3	3	3	4	9	4	2	1	5	13
2026-06-26	1	1	1	1	2	2	4	5	5	4	4	5	6	7	7	5	5	9	13	9	6	6	4	2	5	13
2026-06-27	2	2	3	2	2	2	2	2	3	2	3	3	2	3	3	3	2	3	4	2	2	1	1	1	2	4
2026-06-28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	2
2026-06-29	1	1	1	1	1	2	6	21	20	9	6	3	2	3	3	2	3	4	4	3	4	3	3	4	5	21
2026-06-30	3	2	2	3	4	5	6	13	12	8	5	5	3	4	3	3	3	4	6	4	2	4	4	3	5	13
Mean	2	2	2	2	2	3	5	10	9	5	4	4	3	3	3	3	3	4	4	4	4	3	3	2	4	
Max	8	6	5	5	7	10	15	30	27	23	10	9	8	7	8	7	8	9	13	9	12	14	8	7	9	30

POLLUTANT: no2

HOURLY MEAN CONCENTRATIONS

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	4	4	3	3	5	7	7	6	4	2	3	2	2	2	2	2	2	3	2	2	2	1	1	1	3	7
2026-06-02	1	2	2	1	1	5	5	9	9	3	4	3	2	2	4	4	3	4	4	3	3	2	2	1	3	9
2026-06-03	1	1	1	1	1	1	2	4	3	4	4	3	3		2	2	3	4	2	2	2	2	2	2	2	4
2026-06-04	1	1	1	1	1	1	2	3	3	3	2	2	2	2	2	2	2	3	3	3	3	3	2	2	2	3
2026-06-05	1	1	1	1	2	3	5	8	9	5	4	2	1	1	1	1	1	4	5	5	3	2	2	3	3	9
2026-06-06	3	3	2	2	2	3	6	9	12	3	3	1	1	1	1	1	1	2	3	6	10	13	7	6	4	13
2026-06-07	8	3	3	3	4	5	6	4	3	4	5	2	2	3	4	3	1	2	5	4	4	3	4	3	4	8
2026-06-08	2	2	2	1	2	4	4	8	8	5	5	2	2	2	2	2	3	3	4	5	3	2	2	2	3	8
2026-06-09	2	2	4	4	5	5	6	9	4	3	3	3	3	2	2	1	2	3	3	4	6	4	3	2	4	9
2026-06-10	2	2	4	5	4	6	9	11	10	8	5	5	5	5	4	5	5	6	7	6	6	6	8	7	6	11
2026-06-11	7	6	5	4	3	2	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	7
2026-06-12	1	1	1	1	1	1	2	3	2	1	1	1	1	1	1	1	2	3	4	4	5	7	4	3	2	7
2026-06-13	2	2	1	2	2	3	7	12	12	6	4	4	2	2	1	1	1	2	2	3	4	5	4	2	4	12
2026-06-14	2	3	3	2	2	2	3	2	2	2	1	1	1	1	1	1	1	2	3	6	4	3	2	2	2	6
2026-06-15	3	3	2	1	6	6	10	14	10	7	4	2	2	2	2	2	2	3	3	3	2	2	2	3	4	14
2026-06-16	2	2	1	1	1	1	2	3	3	2	2	2	2	2	2	2	3	5	5	3	3	3	4	3	2	5
2026-06-17	2	2	2	1	2	4	5	10	7	5	4	3	3	3	4	3	5	5	4	4	4	4	3	3	4	10
2026-06-18	4	2	3	2	2	2	4	5	5	3	3	2	2	2	2	2	3	3	3	4	4	3	3	2	3	5
2026-06-19	2	2	2	2	1	3	5	11	9	4	3	3	3	3	2	3	6	8	7	5	3	3	2	2	4	11
2026-06-20	1	1	1	1	2	2	2	2	3	3	4	3	3	2	2	2	2	5	7	4	4	3	4	3	3	7
2026-06-21	2	2	1	1	1	1	2	2	2	1	1	2	1	1	1	1	1	2	4	2	4	3	1	1	2	4
2026-06-22	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2026-06-23	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2026-06-24	1	3	2	2	2	3	4	7	6	3	2	2	2	2	2	2	3	3	3	3	2	3	3	3	3	7
2026-06-25	3	2	2	3	2	3	5	8	8	6	3	3	3	2	2	2	2	2	2	3	7	3	1	1	3	8
2026-06-26	1	1	1	1	2	2	3	4	4	3	3	3	3	5	5	4	5	7	12	9	6	6	4	2	4	12
2026-06-27	2	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	2	1	1	1	1	2	3
2026-06-28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-29	1	1	1	1	1	1	5	13	11	6	4	2	2	3	2	2	3	4	4	3	3	3	3	4	3	13
2026-06-30	3	2	2	3	3	4	5	9	9	5	3	3	2	2	2	2	2	3	5	4	2	4	4	3	4	9
Mean	2	2	2	2	2	3	4	6	5	3	3	2	2	2	2	2	2	3	4	3	4	3	3	2	3	
Max	8	6	5	5	6	7	10	14	12	8	5	5	5	5	5	5	6	8	12	9	10	13	8	7	6	14

POLLUTANT: no_

HOURLY MEAN CONCENTRATIONS

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max
2026-06-01	0	0	1	0	0	1	4	4	1	1	1	1	1	1	1	1	1	0	1	0	0	0	0	0	1	4
2026-06-02	0	1	0	0	1	5	4	11	11	1	2	1	1	2	1	1	1	1	0	0	1	0	0	1	2	11
2026-06-03	0	0	0	0	0	1	0	1	1	1	2	2	2		1	1	1	1	1	1	1	1	0	0	1	2
2026-06-04	1	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	1	1
2026-06-05	1	0	0	0	0	1	1	4	6	3	3	2	1	1	1	1	1	1	0	1	0	0	1	0	1	6
2026-06-06	1	0	0	0	0	1	1	6	12	2	2	1	1	1	1	1	0	0	0	1	2	1	1	1	2	12
2026-06-07	1	0	0	0	0	0	0	0	1	2	3	1	1	1	1	1	1	1	1	0	1	0	1	0	1	3
2026-06-08	0	0	0	0	0	0	1	2	2	2	2	1	1	1	1	1	1	0	0	0	0	0	0	0	1	2
2026-06-09	0	0	0	0	1	1	5	21	3	2	2	1	1	2	1	1	0	0	0	0	1	0	1	0	2	21
2026-06-10	0	0	0	0	0	1	7	16	17	15	5	4	3	2	4	2	1	1	1	0	0	0	0	0	3	17
2026-06-11	0	0	1	1	0	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	0	0	1	0	1	2
2026-06-12	0	0	0	0	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	0	0	1	1
2026-06-13	0	0	0	0	0	0	2	6	15	3	2	2	1	1	1	1	0	1	0	0	0	0	0	1	2	15
2026-06-14	0	0	0	0	0	1	0	0	1	1	1	1	1	1	1	0	0	1	0	0	1	0	0	0	0	1
2026-06-15	0	0	0	0	1	1	5	5	17	4	2	1	1	1	1	1	1	1	1	0	0	1	0	0	2	17
2026-06-16	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	1
2026-06-17	0	0	0	0	0	1	2	9	4	3	3	2	3	2	2	1	1	1	0	1	0	0	0	0	1	9
2026-06-18	0	0	0	0	1	0	1	2	2	2	2	2	1	1	1	1	1	1	0	0	1	0	0	0	1	2
2026-06-19	0	0	0	0	0	1	2	8	6	2	2	2	2	1	1	1	2	2	1	1	1	0	0	0	1	8
2026-06-20	0	0	0	0	0	0	1	1	1	1	2	1	1	1	1	1	1	1	1	2	1	0	0	0	1	2
2026-06-21	1	1	0	0	0	1	0	1	1	1	1	1	1	0	1	0	1	1	1	1	1	0	0	0	1	1
2026-06-22	0	0	0	0	0	0	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	1	2
2026-06-23	1	1	0	1	0	0	1	1	1	1	1	1	0	1	1	1	1	1	1	0	1	0	0	0	1	1
2026-06-24	0	0	0	1	0	1	1	2	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0	1	2
2026-06-25	1	0	0	0	0	1	2	5	4	3	2	2	2	2	1	1	1	1	1	1	2	0	0	0	1	5
2026-06-26	0	0	1	0	0	1	1	1	1	1	1	2	2	3	2	1	1	1	1	1	1	1	0	0	1	3
2026-06-27	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	0	0	1	1
2026-06-28	0	0	0	0	0	1	0	0	0	1	0	1	1	0	1	1	0	0	1	0	0	0	0	0	0	1
2026-06-29	0	0	0	0	1	0	1	9	9	3	2	1	1	1	1	1	1	1	0	1	1	0	0	0	1	9
2026-06-30	0	0	0	0	1	1	1	4	4	3	2	2	1	2	1	1	1	1	0	0	0	0	0	0	1	4
Mean	0	0	0	0	0	1	2	4	4	2	2	1	1	1	1	1	1	1	1	0	1	0	0	0	1	
Max	1	1	1	1	1	5	7	21	17	15	5	4	3	3	4	2	2	2	1	2	2	1	1	1	3	21

POLLUTANT: Sulphur Dioxide**HOURLY MEAN CONCENTRATIONS µg/m**

Hour	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Mean	Max	
2026-06-01	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2026-06-02	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2026-06-03	1	1	1	1	1	1	1	1	1	1	1	1	1		2	2	2	2	2	2	2	2	2	2	2	1	2
2026-06-04	2	2	2	2	1	2	2	2	1	1	1	2	2	2	2	2	2	2	2	1	1	2	2	2	2	2	2
2026-06-05	2	1	1	1	1	1	2	2	2	2	2	2	2	1	2	2	2	2	2	2	1	2	2	2	2	2	2
2026-06-06	2	2	2	2	2	1	1	2	2	2	2	2	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2
2026-06-07	2	2	1	1	1	1	1	1	1	2	2	2	2	2	2	2	1	2	1	1	2	1	1	1	1	1	2
2026-06-08	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-09	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2026-06-10	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
2026-06-11	2	2	1	1	2	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	2
2026-06-12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-13	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2026-06-14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-15	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2026-06-16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-20	1	1	1	1	1	1	1	1	1	2	2	2	2	3	4	3	3	3	2	2	2	2	2	2	2	2	4
2026-06-21	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2026-06-22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-29	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2026-06-30	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Mean	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Max	2	2	2	2	2	2	2	2	2	2	2	2	2	3	4	3	3	3	2	2	2	2	2	2	2	2	4